Claims

5

10

15

25

- A Hp-Hb complex (haptoglobin-haemoglobin complex) or a part thereof or a mimic thereof being operably linked to a substance, wherein the Hp-Hb complex or the part thereof or the mimic thereof is capable of binding a CD163 receptor and/or a CD163 receptor variant.
- The Hp-Hb complex, or a part thereof, or a mimic thereof according to claim 1, in a purified form.
- The Hp-Hb complex, or a part thereof, or a mimic thereof according to claim 1, in an isolated form.
- The Hp-Hb complex, or a part thereof, or a mimic thereof according to claim 1, wherein the complex is dimeric.
- The Hp-Hb complex, or a part thereof, or a mimic thereof according to claim 1, wherein the complex is multimeric.
- The Hp-Hb part or mimic according to claim 1, capable of binding to a region in one or more of the SRCR domains I-IX of the CD163 receptor.
 - The Hp-Hb complex, or a part thereof, or a mimic thereof according to claim 1, wherein the substance comprises a medicament.
 - The Hp-Hb complex, or a part thereof, or a mimic thereof according to claim 7, wherein the medicament is selected from antibiotics and anticancer drugs.
- The Hp-Hb complex, or a part thereof, or a mimic thereof according to claim 7, wherein
 the medicament is selected from anti-HIV drugs.
 - 10. The Hp-Hb complex, or a part thereof, or a mimic thereof according to claim 1, wherein the substance comprises a gene.
- 35 11. The Hp-Hb complex, or a part thereof, or a mimic thereof according to claim 10, wherein the gene comprises a nucleic acid, such as PNA, LNA, DNA or RNA.
 - The Hp-Hb complex, or a part thereof, or a mimic thereof according to claim 10, wherein the gene comprises cDNA.

10

15

20

25

- The Hp-Hb complex, or a part thereof, or a mimic thereof according to claim 10, wherein the gene is encoding CD163.
- 5 14. The Hp-Hb complex, or a part thereof, or a mimic thereof according to claim 1, wherein the substance comprises an antibody or an antigen.
 - 15. The Hp-Hb complex, or a part thereof, or a mimic thereof according to any of the claims 1-14, wherein the substance comprises a tracer or a marker.
 - 16. The Hp-Hb as mimic, according to any of the claims, wherein the mimic is an antibody.
 - 17. A method of treatment of an individual comprising administration of the Hp-Hb complex, or a part thereof, or a mimic thereof according to claim 1, the method comprising the steps of:
 - iv) providing a Hp-Hb complex, or a part thereof, or a mimic thereof as defined in claim
 1 capable of binding to the CD163 variant,
 - operably linking a substance as defined in the claims 1-16 to the Hp-Hb complex, or a part thereof, or a mimic thereof,
 - vi) administering the substance operably linked to the Hp-Hb complex, or a part thereof,
 or a mimic thereof to an individual in need thereof.
 - 18. A composition comprising a Hp-Hb complex, or a part thereof, or a mimic thereof as defined in claim 1.
- A CD163 variant capable of binding at least one haptoglobin-haemoglobin (Hp-Hb) complex.
 - The CD163 variant according to claim 19, wherein the at least one Hp-Hb complex is dimeric.
- 35 21. The CD163 variant according to claim 19, wherein the at least one Hp-Hb complex is multimeric.
 - The CD163 variant according to claim 19, comprising the SRCR domains I-IX of the CD 163 receptor, or a variant thereof.

5

15

25

30

- 23. The CD163 variant according to claim 22, comprising at least the Hp-Hb binding region.
- 24. The CD163 variant according to claim 19, wherein the binding affinity has a Kd of 100 nM or less.
- The CD163 variant according to claim 19, wherein the binding affinity has a Kd of 10 nM or less.
- 10 26. A CD163 variant according to claim 19, which is soluble
 - 27. A medicament comprising the CD163 variant as defined in claim 18.
 - A method of treatment of an individual comprising administration of a CD163 variant according to any of claims 19 to 26.
 - The method according to claim 17, wherein the method comprises drug-delivery treatment of an individual in need of such treatment.
- 30. The method according to claim 17, wherein the method comprises gene delivery treatment of an individual in need of such treatment.
 - 31. The method according to claim 17 or 28, wherein the method comprises treatment of haemolysis in an individual in need of such treatment.
 - 32. A diagnostic composition comprising a CD 163 variant as defined in claim 19.
 - 33. The composition according to claim 32, said CD163 being expressed by a cell said method comprising administrating a Hp-Hb complex operably linked to a marker for marking the CD163 representing cell.
 - 34. The composition according to claim 33, for identifying macrophages in a biological sample from an individual.
- 35. A composition comprising at least one purified CD163 receptor and/or at least one purified CD163 variant as defined in claim 19.
 - A method for diagnosing a pathological condition comprising administrating a composition as defined in claim 35.